

NAME

LMStr - LIPID MAPS arbitrary structure generation methods

SYNOPSIS

```
use LMStr;
```

```
use LMStr qw(:all);
```

DESCRIPTION

LMStr module provides these methods:

```
ExpandLMCmpdAbbrevs - Expand abbreviation
GenerateCmpdOntologyData - Generate ontology data
GenerateCmpdOntologySDDataLines - Generate ontology data lines for SD
file
GenerateLMChainStrData - Generate chain structure data
GenerateSDFile - Generate SD file
GetLMTemplatesData - Get templates data
GetLMSupportedHeadGroupMap - Get supported headgroups data
GetLMTemplateID - Get templates ID
IsLMChainsAbbrevSupported - Is it a supported abbreviation
ParseLMAbbrev - Parse abbreviation
SetupLMCmpdAbbrevTemplateDataMap - Setup template structure data map
ValidateLMAbbrev - Validate abbreviation
```

METHODS

ExpandLMCmpdAbbrevs

```
$ExpandedAbbrevArrayRef = ExpandLMCmpdAbbrevs($CmpdAbbrev);
```

Return a reference to an array containing complete LM abbreviations. Wild card characters in LM abbreviation name are expanded to generate fully qualified LM abbreviations.

GenerateCmpdOntologyData

```
$DataHashRef = GenerateCmpdOntologyData($CmpdDataRef);
```

Return a reference to a hash containing ontology data with hash keys and values corresponding to property names and values.

GenerateCmpdOntologySDDataLines

```
$DataLinesArrayRef =
GenerateCmpdOntologySDDataLines($CmpdDataRef);
```

Return a reference to an array containing ontology data lines suitable for generate SD file data block.

GenerateLMChainStrData

```
($AtomLinesArrayRef, $BondLinesArrayRef) =
GenerateLMChainStrData($ChainType, $CmpdDataRef);
```

Return array references containing atom and bond data lines for SD file. Appropriate atom and bond data lines are generated using chain type and abbreviation template data.

GenerateSDFile

```
GenerateSDFile($SDFileName, $CmdAbbrevsRef);
```

Generate a SD file for compound abbreviations. Structure data for specified abbreviation is

generated sequentially and written to SD file.

GetLMTemplatesData

```
$TemplatesDataRef = GetLMTemplatesData();
```

Return a reference to a hash containing LM templates data

GetLMSupportedHeadGroupMap

```
$SupportedHeadGroupDataRef = GetLMSupportedHeadGroupMap();
```

Return a reference to a hash containing supported head groups data.

GetLMTemplateID

```
$HeadGroupID = GetLMTemplateID($HeadGroupAbbrev, $ChainsAbbrev);
```

Return a supported template ID for compound abbreviation.

IsLMChainsAbbrevSupported

```
$Status = IsLMChainsAbbrevSupported($Abbrev, $PrintWarning);
```

Return 1 or 0 based on whether LM abbreviated is supported. For unsupported LM abbreviations, a warning is printed unless PrintWarning flag is set.

ParseLMAbbrev

```
($HeadGroup, $ChainsAbbrev, $AbbrevModifier) =  
ParseLMAbbrev($Abbrev);
```

Parse LM abbreviation and return these values: HeadGroup, ChainsAbbrev, AbbrevModifier.

SetupLMCmpdAbbrevTemplateDataMap

```
$AbbrevTemplateDataMapRef =  
SetupLMCmpdAbbrevTemplateDataMap($Abbrev);
```

Return a reference to a hash containing template data for compound abbreviation. The template data is used to generate SD file for compound abbreviation.

ValidateLMAbbrev

```
$Status = ValidateLMAbbrev($Abbrev);
```

Return 1 or 0 based on whether a LM abbreviation is valid.

AUTHOR

Manish Sud

CONTRIBUTOR

Eoin Fahy

SEE ALSO

ChainAbbrev.pm, ChainStr.pm, LMAPSStr.pm

COPYRIGHT

Copyright (C) 2006-2017. The Regents of the University of California. All Rights Reserved.

LICENSE

Modified BSD License